

```
!  
! Last configuration change at 03:03:04 UTC Mon Apr 4 2011 by rpoulet  
! NVRAM config last updated at 02:42:36 UTC Mon Apr 4 2011 by rpoulet  
!  
version 15.2  
no service pad  
service timestamps debug datetime msec  
service timestamps log datetime msec  
service password-encryption  
!  
hostname SW-RO-01  
!  
boot-start-marker  
boot-end-marker  
!  
enable secret 5 $1$6SNs$nOaFGbwqZQvcAYbxsB4hj1  
!  
username imoufidi privilege 15 secret 5 $1$JL4D$Q96bnZ05Je0uXx/WWTiKp.  
username tguyot privilege 15 secret 5 $1$B1pS$7e9.EVBNmd7Rv3HPNxltw.  
username rpoulet privilege 15 secret 5 $1$sXf9$H8noCN8sPkg/2E3sGLnZq0  
no aaa new-model  
switch 1 provision ws-c2960s-24ts-l  
!  
!  
no ip domain-lookup  
ip domain-name romemedilab.fr  
!  
!  
!  
!  
!  
!  
!  
crypto pki trustpoint TP-self-signed-513648384  
enrollment selfsigned  
subject-name cn=IOS-Self-Signed-Certificate-513648384  
revocation-check none  
rsa-keypair TP-self-signed-513648384  
!  
!  
crypto pki certificate chain TP-self-signed-513648384  
certificate self-signed 01  
30820229 30820192 A0030201 02020101 300D0609 2A864886 F70D0101 05050030  
30312E30 2C060355 04031325 494F532D 53656C66 2D536967 6E65642D 43657274  
69666963 6174652D 35313336 34383338 34301E17 0D313130 33333030 31323832  
385A170D 32303031 30313030 30303030 5A303031 2E302C06 03550403 1325494F  
532D5365 6C662D53 69676E65 642D4365 72746966 69636174 652D3531 33363438  
33383430 819F300D 06092A86 4886F70D 01010105 0003818D 00308189 02818100  
885FF7A1 74FA43A1 211DDBAC EC10E16D 7FA226A7 76CDB2BB 386EF397 7E735357  
5D07E1D6 066C72B5 D4875F56 6623984F 08FFCC3F 1D8D30C1 A7CDC5F7 3FF6CD1E  
F38D51BB 47E17ACD 54283B67 0E0AE777 C2C7A07B BF1DB4B7 E34D9BE4 4B600EF9  
79B9901E E8536BFA 365C40F5 822B3E26 D9817A62 4CF6759E B5F10505 1D3926B9  
02030100 01A35330 51300F06 03551D13 0101FF04 05300301 01FF301F 0603551D  
23041830 16801434 C0831668 CEC9E847 A06A202D 8F6F5973 11B93E30 1D060355
```

1D0E0416 041434C0 831668CE C9E847A0 6A202D8F 6F597311 B93E300D 06092A86  
4886F70D 01010505 00038181 0029C184 1D6924C7 150721A2 49976FBE 7C90E6D4  
F9EE12F9 5F421D27 8A8AC0DB 4AB3F424 AB7FCEA3 65EE237E 30BB46D2 41CAF728  
9D9B51A8 3D701D8F 47829AEA 00ECB50F AE22AE13 BDCDED6F 0CD0748D AA72E15C  
B47FD039 F6103F90 7582FC08 E41711B5 C4865685 2E4B92FC 55CBC4CB 6ACB14D2  
4820EEAE DA7951AE A891BD9E 1D

quit

```
spanning-tree mode pvst
spanning-tree extend system-id
errdisable recovery cause udd
errdisable recovery cause bpdguard
errdisable recovery cause security-violation
errdisable recovery cause channel-misconfig
errdisable recovery cause pagp-flap
errdisable recovery cause dtp-flap
errdisable recovery cause link-flap
errdisable recovery cause sfp-config-mismatch
errdisable recovery cause gbic-invalid
errdisable recovery cause psecure-violation
errdisable recovery cause port-mode-failure
errdisable recovery cause dhcp-rate-limit
errdisable recovery cause pppoe-ia-rate-limit
errdisable recovery cause mac-limit
errdisable recovery cause vmpps
errdisable recovery cause storm-control
errdisable recovery cause inline-power
errdisable recovery cause arp-inspection
errdisable recovery cause loopback
errdisable recovery cause small-frame
errdisable recovery cause psp
```

```
!
!
!
!
vlan internal allocation policy ascending
```

```
!
ip ssh time-out 60
ip ssh version 2
```

```
!
!
!
!
!
!
!
!
!
!
!
```

```
interface Port-channel1
description LACP_aggregation
switchport trunk allowed vlan 100-210
switchport mode trunk
```

```
!
interface FastEthernet0
no ip address
```

```
shutdown
!
interface GigabitEthernet1/0/1
description ADMINISTRATEUR
switchport access vlan 110
switchport mode access
spanning-tree portfast
spanning-tree bpduguard enable
!
interface GigabitEthernet1/0/2
description ADMINISTRATEUR
switchport access vlan 110
switchport mode access
switchport port-security
spanning-tree portfast
spanning-tree bpduguard enable
!
interface GigabitEthernet1/0/3
description ADMINISTRATEUR
switchport access vlan 110
switchport mode access
switchport port-security
spanning-tree portfast
spanning-tree bpduguard enable
!
interface GigabitEthernet1/0/4
description vers ESX, a modif
switchport trunk allowed vlan 100,110,120,130,150,160,170,180,190,200,210
switchport mode trunk
!
interface GigabitEthernet1/0/5
description teste thibault
switchport access vlan 110
switchport mode access
switchport port-security
spanning-tree portfast
spanning-tree bpduguard enable
!
interface GigabitEthernet1/0/6
shutdown
!
interface GigabitEthernet1/0/7
shutdown
!
interface GigabitEthernet1/0/8
shutdown
!
interface GigabitEthernet1/0/9
shutdown
!
interface GigabitEthernet1/0/10
shutdown
!
interface GigabitEthernet1/0/11
shutdown
```

```
!  
interface GigabitEthernet1/0/12  
shutdown  
!  
interface GigabitEthernet1/0/13  
shutdown  
!  
interface GigabitEthernet1/0/14  
shutdown  
!  
interface GigabitEthernet1/0/15  
description vers user_romemedilab  
switchport access vlan 150  
switchport mode access  
spanning-tree portfast  
spanning-tree bpduguard enable  
!  
interface GigabitEthernet1/0/16  
shutdown  
!  
interface GigabitEthernet1/0/17  
description vers SW2  
switchport trunk allowed vlan 100-210  
switchport mode trunk  
channel-protocol lacp  
channel-group 1 mode active  
!  
interface GigabitEthernet1/0/18  
description vers SW2  
switchport trunk allowed vlan 100-210  
switchport mode trunk  
channel-protocol lacp  
channel-group 1 mode active  
!  
interface GigabitEthernet1/0/19  
shutdown  
!  
interface GigabitEthernet1/0/20  
shutdown  
!  
interface GigabitEthernet1/0/21  
shutdown  
!  
interface GigabitEthernet1/0/22  
switchport mode trunk  
spanning-tree portfast  
spanning-tree bpduguard enable  
!  
interface GigabitEthernet1/0/23  
description vers DRAC  
switchport access vlan 140  
switchport mode access  
spanning-tree portfast  
spanning-tree bpduguard enable  
!
```



